

From: [Julio Vazquez](#)
To: [Katherine Mishkin](#)
Cc: [Rebecca Ofrane](#)
Subject: Re: Fw: Budget Workplan for Corozal
Date: 07/30/2012 08:43 AM

Hi Katie and Becky. Thank you both for your input.

I need to discuss the estimate with Michael, especially the gas sampling. So, nothing is final yet. I will let you know what the final word is prior to send to CDM. I have not heard from Chuck and Sy yet.

I should be in the office tomorrow. I'll call you after I get a chance to review.

Julio F Vazquez, RPM
U.S. EPA - Region 2
Special Project Branch/
Federal Facilities Section
New York

-----Katherine Mishkin/R2/USEPA/US wrote: -----


To: Julio Vazquez/R2/USEPA/US@EPA
From: Katherine Mishkin/R2/USEPA/US
Date: 07/30/2012 08:31AM
Cc: Rebecca Ofrane/R2/USEPA/US@EPA
Subject: Re: Fw: Budget Workplan for Corozal

Hi Julio,

I looked over the cost-estimate and it looks OK. Is the whole team in agreement about eliminating passive soil gas sampling? I know there were some discussions about it, and I noticed Chuck had one comment about sampling locations, but I didn't realize that it was fully eliminated. This is probably ok though given the scale of the project.

Did you want to talk about anything else? Sorry I didn't have a chance to chat with you last week. I think I was in the field when you stopped by. I'll be in the office tomorrow if you want to find a time to talk. Thanks!

Katie Ryan Mishkin
Hydrogeologist
Superfund Technical Support Section
U.S. EPA - Region 2
290 Broadway, 18th Floor
New York, NY 10007-1866
Phone: 212-637-4449
Fax: 212-637-3083

 Julio Vazquez---07/26/2012 11:58:21 AM---Hello Dear Corozal Team: Just wanted to share my first draft review on the subject document. You'll

From: Julio Vazquez/R2/USEPA/US
To: Katherine Mishkin/R2/USEPA/US@EPA, Rebecca Ofrane/R2/USEPA/US@EPA, Charles Nace/R2/USEPA/US@EPA, William Sy/R2/USEPA/US@EPA
Cc: Michael Sivak/R2/USEPA/US@EPA

Date: 07/26/2012 11:58 AM
Subject: Fw: Budget Workplan for Corozal

Hello Dear Corozal Team:

Just wanted to share my first draft review on the subject document. You'll notice that I eliminated the Soil Gas Sampling and both Risk Assessment (Human and Eco) from the estimate. This is a work in progress, and I would like to have your input on the attached based on what you already know of the site. Any questions, give me a call (x-4323).

[attachment "Corozal Technical Evaluation July 2012.docx" deleted by Katherine Mishkin/R2/USEPA/US]

Greatly appreciated,

Julio F Vázquez, RPM

U.S. EPA - Region 2
Special Projects Branch/
Federal Facilities Section
New York



United States Environmental Protection Agency